

[Sign in](#)



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

debugging software single action storing prede

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 21 for debugging software single action storing predefinable conditions in a

EP1378835 Sap european software patent - Process and system for ...

So, when starting the **debugging software** anew in a new session, the breakpoints have ...
the one or more **predefinable conditions** are stored in a **data array**, ...
gauss.ffii.org/PatentView/EP1378835 - 43k - [Cached](#) - [Similar pages](#)

Process and system for comfortable debugging of computer programs ...

the one or more **predefinable conditions** are stored in a **data array**. ... or deactivating all
breakpoints of the at least one type by a **single action**. ...
www.freepatentsonline.com/EP1378832.html - 35k - [Cached](#) - [Similar pages](#)

esp@cenet Ansicht [Patentansprüche]

the stop of the **debugging software** at an at least one type of breakpoint is made ... the one
or more **predefinable conditions** are stored in a **data array**, ...
v3.espacenet.com/textclam?IDX=EP1378835&CY=ep&LG=de&QPN=EP1378835 - 29k -
Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] *EP001378832A1*

File Format: PDF/Adobe Acrobat - [View as HTML](#)

starting the **debugging software** anew in a new session, ... the one or more **predefinable conditions** are stored in a **data array**. ...
https://.../PublicationServer/documentpdf.jsp?iDocId=5774747&iebug=.pdf - Supplemental
Result - [Similar pages](#)

Clemens Vasters: Alien Abductions Enterprises - Architecture

To be clear: I continue to believe that aligning **data storage** with services is ... you might
choose) in a **single** place and not spread it across an **array** of ...
friends.newtelligence.net/clemensv/CategoryView,category,Architecture.aspx - 441k -
[Cached](#) - [Similar pages](#)

Clemens Vasters: Alien Abductions Enterprises - Architecture

The pipeline for that **action** consists of a **single** handler (the ... A **data** service is a layered
unit that specializes in acquiring, **storing**, ...
friends.newtelligence.net/clemensv/SyndicationService.asmx/GetRssCategory?
categoryName=Architecture - 579k - [Cached](#) - [Similar pages](#)

no title

The **array** of **data** to be processed is divided into a number of segments, ... Antoine et al.;
"Effective **Software Debugging** Using a Program Trace"; ...
lpf.ai.mit.edu/Patents/abstracts/395800.1990-1992 - 757k - [Cached](#) - [Similar pages](#)

Technologies / Products developed under Financial Support by DIT ...

SAMEER has developed Dimonostatic as well as phased **array** versions of Doppler ... The
data storage is Unicode compatible. The system is developed in Java ...
www.mit.gov.in/elitex/profile.asp - 323k - [Cached](#) - [Similar pages](#)

From vitavoom at vitavoom.com Fri Apr 1 13:22:10 2005 From ...

+ Extended navigation with keyboard, **predefinable** for all our controls: cursor ... The
regular expression **debugger** now treats character classes as a **single** ...
www.elists.org/pipermail/delphi-3p/2005-April.txt - 150k - [Cached](#) - [Similar pages](#)

Csound A Manual for the Audio Processing System and Supporting ...

A-variables are used to **store** and recall **data** changing at the audio ... a sinusoid into harmonic partials having a **predefinable** spectrum. f # time size 13 ...

www.cs.bath.ac.uk/pub/dream/documentation/manuals/CSound.manual.txt - 301k -

[Cached](#) - [Similar pages](#)

Result Page: 1 2 **[Next](#)**

Get organized for the new year with [Google Desktop](#).

debugging software single action stc

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

debugging software single action storing prede

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web Results 11 - 15 of about 21 for **debugging software single action storing predefinable conditions in a**

[Interactive digital television network - Patent 20030088874](#)

Digital television network, of the kind comprising at least one broadcaster computer comprising **data storage** means and means for transmitting digital ...
www.freepatentsonline.com/20030088874.html - 128k - [Cached](#) - [Similar pages](#)

[From john at ibe-software.com Mon Mar 1 11:53:07 2004 From: john ...](#)

+ Extended navigation with keyboard, **predefinable** for all our controls: cursor ... for the editing and **storage** of unlimited plain or rich-text **data** within ...
www.elists.org/pipermail/delphi-3p/2004-March.txt - 171k - [Cached](#) - [Similar pages](#)

[\[PDF\] Unity Pro 2.3](#)

File Format: PDF/Adobe Acrobat

The gradient of the input variable IN is limited to a **predefinable** RATE value. ... A derived **data** type is a set of elements of the same type (**ARRAY**) or of ...
[download.telemechanique.com/.../all/852566B70073220C85256EDF003B3AE0/\\$File/33002535_k01_000_03.pdf](http://download.telemechanique.com/.../all/852566B70073220C85256EDF003B3AE0/$File/33002535_k01_000_03.pdf) - [Similar pages](#)

[package finance companynames textsupport version 1.0 use site](#)

... **debugger** debuggers debugges debuggging **debugging** debugging debugs debulk ...
predecessors predecoded predecoder **predefinable** predefine predefined ...
search.cpan.org/src/JBAKER/Finance-CompanyNames-1/CompanyNames/TextSupport.pm
- [Similar pages](#)

[PDP-10 Archive: autopatch/password.dictionary from bb-l014w ...](#)

... S, ED, ING PRECONSCIOUS, LY **PREDEFINABLE**, IY PREDETERMINE, S, D, IING, ...
S, 'S STOOPED, LY STOPGAP STOPPER, S, ED, ING **STORAGE**, S STORIED
STOWAGE, ...
pdp-10.trailing-edge.com/bb-l014w-bm_tops20_v7_0_atpch_23/01/autopatch/password.dictionary.html - 660k - [Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 15 already displayed.

If you like, you can repeat the search with the omitted results included.

Result Page: [Previous](#) [1](#) [2](#)

Get organized for the new year with [Google Desktop](#).

debugging software single action stc

[Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google